



SEDIMENT CONTROL NOTES


1. ALL EROSION AND SEDIMENTATION CONTROL MEASURES, INCLUDING REVEGETATION AND STORAGE OF SOIL AND TOPSOIL, SHALL BE IMPLEMENTED TO THE STANDARDS OF THE SOIL CONSERVATION OF NSW.
2. ALL DRAINAGE WORKS SHALL BE CONSTRUCTED AND STABILIZED AS EARLY AS POSSIBLE DURING DEVELOPMENT.
3. SEDIMENT TRAPS SHALL BE CONSTRUCTED AROUND ALL INLET PITS, CONSISTING OF 300mm WIDE X 300mm DEEP TRENCH.
4. ALL SEDIMENT BASINS AND TRAPS SHALL BE CLEANED WHEN THE STRUCTURES ARE A MAXIMUM OF 60 % FULL OF SOIL MATERIALS, INCLUDING THE MAINTENANCE PERIOD.
5. ALL DISTURBED AREAS SHALL BE REVEGETATED AS SOON AS THE RELEVANT WORKS ARE COMPLETED.
6. SOIL AND TOPSOIL STOCKPILES SHALL BE LOCATED AWAY FROM DRAINAGE LINES AND AREA WHERE WATER MAY CONCENTRATE.
7. FILTER SHALL BE CONSTRUCTED BY STRETCHING A FILTER FABRIC (PROPEX OR APPROVED EQUIVALENT BETWEEN POST AT 2.0m CENTRES. FABRIC SHALL BE BURIED 150mm ALONG ITS LOWER EDGE.




INLET PIT SEDIMENT TRAP
NOT TO SCALE



KERB INLET SEDIMENT TRAP
NOT TO SCALE



SANDBAG KERB INLET SEDIMENT TRAP
NOT TO SCALE



WINBOURNE STREET

| REVISION | DESCRIPTION | DRAWN | CHECK | DATE |
|----------|--|-------|-------|----------|
| A | INITIAL PLAN ISSUED FOR COMMENT | GC | AS | 04-02-22 |
| B | AMEND TO CLIENT COMMENT | GC | AS | 17-02-22 |
| C | ISSUE FOR DA | GC | AS | 04-04-22 |
| D | AMEND TO COUNCIL COMMENT - RE ISSUE FOR DA | GC | GC | 08-06-22 |

ecodesign
outdoor living environments

po box 8136 baulkham hills nsw 2153
unit 61, 5 gladiolus road castle hill nsw 2154
02 9680 7712
www.ecodesign.com.au
Member of Australian Institute of Landscape Architects

1. Do not scale from drawings
2. Verify all measurements on site
3. Notify ecodesign of any inconsistencies
4. Copyright © ecodesign. All rights reserved
5. Drawing remains the property of ecodesign

6. All work to comply with relevant Australian Standards or Building Code of Australia
7. All work to be performed by a suitably qualified tradesperson
8. For application purposes only - NOT FOR CONSTRUCTION

100 WINBOURNE STREET, WEST RYDE

MR & MRS BRESSA

NEW RESIDENCE

SEDIMENT CONTROL PLAN

1:100 @ A2

DA

L - 07

GC

AS

08-06-22

D